

SAFETY DATA SHEET
ANTI-OXIDANT SPRAY

Issued: 14/04/00

Revision No: 50

Page: 1

E C S (Nottingham) Ltd
Cross Road
Annesley Cutting
Annesley
Nottinghamshire
NG15 0AL
Tel: 01623 720444
Fax: 01623 720445

1. Наименование на веществото / препаратата и на фирмата / предприятието

Product name: ANTI-OXIDANT SPRAY
CAS number: 64742-47-8
Product code: EC 350

2. Състав на препаратата / информация за компонентите

Ingredient 1: KEROSENE - UNSPECIFIED - DISTILLATES (PETROLEUM), HYDROTREATED LIGHT >90%
CAS: 64742-47-8
EINECS: 265-149-8
[Xn] R65; [N] R51/53;

3. Описание на опасностите

Main hazards: Extremely flammable. Harmful in contact with skin and if swallowed.

4. Мерки за оказване на първа помощ (Симптоми)

Skin contact: There may be mild irritation at the site of contact.
Eye contact: There may be irritation and redness.
Ingestion: There may be soreness and redness of the mouth and throat.
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

4. Мерки за оказване на първа помощ (Действия)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin.
Eye contact: Bathe the eye with running water for 15 minutes. See doctor if necessary.
Ingestion: If swallowed obtain immediate medical attention. Keep at rest. Do not induce vomiting. Immediately rinse mouth and provide fresh air.
Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Seek medical attention

5. Мерки при гасене на пожар

Extinguishing media: Carbon dioxide. Dry chemical powder. Sand. Foam.
Exposure hazards: May explode in fire.
Protection of fire-fighters: Wear self-contained breathing apparatus.

6. Мерки при аварийно изпускане

Personal precautions: Eliminate all sources of ignition. Ventilate the area. Mark out the contaminated area with signs and prevent access to unauthorised personnel.

SAFETY DATA SHEET
ANTI-OXIDANT SPRAY

Issued: 14/04/00

Revision No: 50

Page: 2

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a suitable container. Do not throw into sewer. Main consideration is to avoid fire.

7. Работа с веществото / препарата и съхранение

Handling requirements: Ensure there is sufficient ventilation of the area. Earth any equipment used in handling. Smoking is forbidden. Use non-sparking tools.

Storage conditions: Store in cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed. Prevent the build up of electrostatic charge in the immediate area.

8. Контрол при експозиция и лични предпазни средства

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Adequate ventilation When the vapour concentration is to high, filter mask.

Hand protection: Protective gloves.

Eye protection: Safety goggles.

Skin protection: Chemical resistant standard issue work clothes.

9. Физични и химични свойства

State: Liquid

Colour: Colourless

Solubility in water: Not miscible

Flash point°C: < 02c

10. Стабилност и реактивоспособнос

Stability: Stable under normal conditions.

Conditions to avoid: Sources of ignition.

Materials to avoid: Strong bases. Oxidising agents. Strong acids.

11. Токсикологическа информация

Ingredient 1: Kerosine - unspecified - distillates (petroleum), hydrotreated light

12. Информация за околната среда

13. Третиране на отпадъците

Waste disposal: Mix or dissolve with a combustible material and burn in a chemical incinerator equipped with afterburners and scrubbers. Disposal should be dealt with only by qualified personnel familiar with the specific substance.

Disposal of packaging Arrange for collection by specialised disposal company.

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Информация за транспортиране

SAFETY DATA SHEET
ANTI-OXIDANT SPRAY

Issued: 14/04/00

Revision No: 50

Page: 3

ADR / RID

UN no: 1950

Shipping name: Aerosol dispensers nos

IMDG / IMO

UN no: 1950

Class: 9

EmS: 2-13

IATA / ICAO

UN no: 1950

15. Информация, съгласно действащата нормативна уредба

Hazard symbols: Extremely flammable.

Risk phrases: R12: Extremely flammable.

R21/22: Harmful in contact with skin and if swallowed.

Safety phrases: S16: Keep away from sources of ignition - No smoking.

S33: Take precautionary measures against static discharges.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S46: If swallowed, seek medical advice immediately and show this container or label.

S2: Keep out of the reach of children.

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions, which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. Друга информация

Risk phrases used in s.2: R65: Harmful: may cause lung damage if swallowed.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

САМО ЗА ПРОМИШЛЕНА УПОТРЕБА