## PLATE CLEANER 806

Issued: 20/03/00 Revision No: 1 Page: 1

E C S (Nottingham) Ltd

**Cross Road** 

**Annesley Cutting** 

Annesley

Nottinghamshire

NG15 0AL

Tel: 01623 720444

Fax: 01623 720445

## 1. Наименование на веществото / препарата и на фирмата / предприятието

**Product name:** PLATE CLEANER 806

EINECS number: 7

**Product code:** EC806

Use / description of product: Flammable. Liquid.

## 2. Състав на препарата / информация за компонентите

**Ingredient 1:** RAPID WASH 30-60%

CAS: 64742-49-0

EINECS: 265-151-9

[-] R10; [Xn] R65; [Xi] R66; [-] R67;

**Ingredient 2:** ALIPHATIC HYDROCARBON 10-30%

CAS: 64742-95-6

[-] R10;

**Ingredient 3:** 1,2,4-TRIMETHYLBENZENE <10%

CAS: 95-63-6

EINECS: 202-436-9

[-] R10; [Xn] R20; [Xi] R36/37/38; [N] R51/53;

Ingredient 4: ORTHOPHOSPHORIC ACID <10%

CAS: 7664-38-2

EINECS: 231-633-2

[C] R34;

Contains: Benzene cas no 71-43-2 will normally be present in trace amounts, but will always be less than the 0.1

w/w marker level in the 21st ATP to the dangerous substance directive.

## 3. Описание на опасностите

Main hazards: Flammable. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness

or cracking. Vapours may cause drowsiness and dizziness.

#### PLATE CLEANER 806

Issued: 20/03/00 Revision No: 1 Page: 2

# 4. Мерки за оказване на първа помощ (Симптоми)

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** Small amounts into the lungs may cause congestion.

**Inhalation:** High concentrations of vapour may cause irritation to the respiratory system.

## 4. Мерки за оказване на първа помощ (Действия)

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected

skin with running water for 10 minutes or longer if substance is still on skin.

**Eye contact:** Bathe the eye with running water for 15 minutes. See doctor if necessary.

**Ingestion:** Do not induce vomiting. Immediately rinse mouth and provide fresh air. Seek medical attention.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Seek medical attention

# 5. Мерки при гасене на пожар

**Extinguishing media:** Carbon dioxide. Alcohol or polymer foam. Dry chemical powder. Do not use water.

**Exposure hazards:** In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus.

## 6. Мерки при аварийно изпускане

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorized personnel. Turn leaking

containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. If inside, transfer outside of building in suitable containers. Wash the

spillage site with large amounts of water.

# 7. Работа с веществото / препарата и съхранение

**Handling requirements:** Ensure there is sufficient ventilation of the area. Smoking is forbidden. Avoid direct contact with the

substance

Storage conditions: Store in cool, well ventilated area. Keep away from sources of ignition. Keep container tightly closed.

# 8. Контрол при експозиция и лични предпазни средства

Engineering measures: Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Adequate ventilation When the vapour concentration is to high, filter

Hand protection: Protective gloves.

Eye protection: Safety goggles.

**Skin protection:** Chemical resistant standard issue work clothes.

#### 9. Физични и химични свойства

State: Emulsion

Colour: White

Odour: Aromatic

#### PLATE CLEANER 806

Issued: 20/03/00 Revision No: 1 Page: 3

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Miscible
Boiling point/range°C: 100-180 c

Flash point°C: 55

Autoflammability°C: >200

# 10. Стабилност и реактивоспособнос

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Sources of ignition.

Materials to avoid: Oxidising agents.

## 11. Токсикологическа информация

**Ingredient 1:** RAPID WASH

IHL LD50 >5mg/l

ORL LD50 >2000mg/kg SKN LD50 >2000mg/kg

**Ingredient 3:** 1,2,4-TRIMETHYLBENZENE

IPR RAT LDLO 1752mg/kg ORL RAT LD50 5gm/kg

Ingredient 4: ORTHOPHOSPHORIC ACID...100%

ORL RAT LD50 1530mg/kg

# 12. Информация за околната среда

# 13. Третиране на отпадъците

Waste disposal: Disposal should be dealt with only by qualified personnel familiar with the specific

substance.

**Disposal of packaging** Should be disposed of in accordance with national regulations.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations

regarding disposal.

# 14. Информация за транспортиране

#### ADR / RID

UN no: 1993
ADR Class: 3
Hazard ID no: 30
Labelling: 3

Shipping name: FLAMMABLE LIQUID, N.O.S.

#### IMDG / IMO

UN no: 1993
Class: 3.3
Packing group: III

#### PLATE CLEANER 806

Issued: 20/03/00 Revision No: 1 Page: 4

EmS: 3-07
Marine pollutant: YES
Labelling: 3

#### IATA / ICAO

UN no: 1993
Class: 3
Packing group: III
Packing instructions: 310

Labelling: 3

# 15. Информация, съгласно действащата нормативна уредба

220 L

Hazard symbols: Harmful.



Quantity

**Risk phrases:** R10: Flammable.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

**Safety phrases:** S16: Keep away from sources of ignition - No smoking.

S23: Do not breathe vapour.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S36/37/39: Wear suitable protective clothing, gloves and eye / face protection.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable

to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international

and local regulations or provisions.

# 16. Друга информация

**Risk phrases used in s.2:** R10: Flammable.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

R20: Harmful by inhalation.

R36/37/38: Irritating to eyes, respiratory system and skin.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

# PLATE CLEANER 806

Issued: 20/03/00 Revision No: 1 Page: 5

R34: Causes burns.

Legal disclaimer:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

# САМО ЗА ПРОМИШЛЕНА УПОТРЕБА