

SAFETY DATA SHEET

WHITE SPIRIT

Issued: 19/06/2005

Revision No: 1

Page: 1

1. Наименование на веществото / препаратата и на фирмата / предприятието

Product name: WHITE SPIRIT
Product code: C501
Company name: E C S (Nottingham) Ltd
Cross Road
Annesley Cutting
Annesley
Nottinghamshire
NG15 0AL
Tel: 01623 720444
Fax: 01623 720445

2. Състав на препаратата / информация за компонентите

Hazardous ingredients: LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVY >90%
EINECS: 265-185-4 CAS: 64742-82-1
[-] R10; [N] R51/53; [Xn] R65

3. Описание на опасностите

Main hazards: Flammable. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. Harmful: may cause lung damage if swallowed. Repeated exposure may cause skin dryness or cracking.

4. Мерки за оказване на първа помощ (Симптоми)

Skin contact: There may be mild irritation at the site of contact.
Eye contact: There may be irritation and redness.
Ingestion: There may be soreness and redness of the mouth and throat. There may be difficulty swallowing. Nausea and stomach pain may occur. There may be vomiting.
Inhalation: Absorption through the lungs can occur causing symptoms similar to those of ingestion.

4. Мерки за оказване на първа помощ (Действия)

Skin contact: Wash immediately with plenty of soap and water.
Eye contact: Bathe the eye with running water for 15 minutes.
Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a liter of water to drink immediately. Transfer to hospital as soon as possible.
Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

5. Мерки при гасене на пожар

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.
Exposure hazards: In combustion emits toxic fumes.
Protection of fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

6. Мерки при аварийно изпускане

Personal precautions: Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorized personnel. Turn leaking containers leak-side up to prevent the

SAFETY DATA SHEET

WHITE SPIRIT

Issued: 19/06/2005

Revision No: 1

Page: 2

escape of liquid.

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labeled salvage container for disposal by an appropriate method.

7. Работа с веществото / препарата и съхранение

Handling requirements: Avoid the formation or spread of mists in the air. Avoid direct contact with the substance.

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed.

8. Контрол при експозиция и лични предпазни средства

Workplace exposure limits

WEL (8 hr exposure limit): 600mg/m³ (OES)

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

9. Физични и химични свойства

State: Liquid

Colour: Colourless

Odour: Characteristic odour

Evaporation rate: Moderate

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Insoluble

Also soluble in: Most organic solvents.

Viscosity: Non-viscous

Boiling point/range°C: 150-200

Flammability limits %: lower: 0.6

upper: 6.5

Flash point°C: 38

Autoflammability°C: 230

Vapour pressure: 0.4

Relative density: 4.5-5

VOC g/l: 0.04kPa

10. Стабилност и реактивоспособност

Stability: Stable under normal conditions.

SAFETY DATA SHEET

WHITE SPIRIT

Issued: 19/06/2005

Revision No: 1

Page: 3

Conditions to avoid: Heat.

Materials to avoid: Strong oxidising agents. Strong acids.

Haz. decomp. products: In combustion emits toxic fumes.

11. Токсикологическа информация

Routes of exposure: Refer to section 4 of SDS for routes of exposure and corresponding symptoms.

12. Информация за околната среда

Mobility: Readily absorbed into soil.

Persistence and degradability: Biodegradable.

Bioaccumulative potential: No bioaccumulation potential.

Other adverse effects: Negligible ecotoxicity.

13. Третиране на отпадъците

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

14. Информация за транспортиране

ADR / RID

UN no: 1300

ADR Class: 3

Shipping name: Turpentine Substitute (LOW BOILING POINT HYDROGEN TREATED NAPHTHA – NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVY)

Labelling: 3

Hazard ID no: 3 Flammable Liquid



IMDG / IMO

UN no: 1300

Class: 3.3

Packing group: III

EmS: 3-0.7

Marine pollutant: YES

Labelling: 3

IATA / ICAO

UN no: 1300

SAFETY DATA SHEET

WHITE SPIRIT

Issued: 19/06/2005

Revision No: 1

Page: 4

Class: 3

Packing group: 3

Labelling: 3

15. Информация, съгласно действащата нормативна уредба

Hazard symbols: Dangerous for the environment.
Harmful.



Risk phrases: R10: Flammable.
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65: Harmful: may cause lung damage if swallowed.
R66: Repeated exposure may cause skin dryness or cracking.

Safety phrases: S61: Avoid release to the environment. Refer to special instructions / safety data sheets.
S2: Keep out of the reach of children.
S23: Do not breathe vapour.
S24/25: Avoid contact with skin and eyes.
S62: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.
S43: In case of fire, use foam, dry powder, CO2 - NEVER USE WATER

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

16. Друга информация

Risk phrases used in s.2: R10: Flammable.
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R65: Harmful: may cause lung damage if swallowed.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

САМО ЗА ПРОМИШЛЕНА УПОТРЕБА