



According to 2001/58/EC

MATERIAL SAFETY DATA SHEET

Catalogue N° : 01802D11 Printing date : 19/05/2007

Page: 1/4

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY

1.1. Identification of the substance or preparation

ACEDIN DH

1.2. Use of the substance/preparation

Fountain additive for offset printing.

1.3. Company/undertaking identification

FUJIFILM Europe NV

EUROPARK-NOORD 21-22

B-9100 SINT NIKLAAS

TEL : +32 (3)760 02 00

FAX : +32 (3)776 91 22

1.4. Emergency telephone

+32 (0)3 760 02 00

2. COMPOSITION / INFORMATION ON INGREDIENTS

Aqueous solution.

Components contributing to hazard:

w/w%	CAS N°	EINECS N°	Chemical Name Symb.R-phrases
<0,01 .	26172-55-4 .	247-500-7 .	5-CHLORO-2-METHYL-2H-ISOTHIAZOLIN-3-ONE T N R:23/24/25-34-43-50/53
<0,01 .	2682-20-4 .	220-239-6 .	2-METHYL-2H-ISOTHIAZOLIN-3-ONE T N R:23/25-34-43-50

3. HAZARDS IDENTIFICATION

Most important hazards :

May cause sensitization by skin contact.

4. FIRST AID MEASURES

Eye contact

Irrigate with flowing water immediately and continuously for 15 minutes.

Consult medical personnel.

Skin contact

Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing

Ingestion

Consult a physician or transport to emergency facility immediately

Inhalation

Remove to fresh air. Consult a physician.

Further information

Overexposure may lead to allergic skin reactions with sensitized people. In this case, seek medical advice.

5. FIRE-FIGHTING MEASURES

5.1. Suitable extinguishing media:

Water.

Water fog, carbon dioxide, foam, dry chemicals.

5.2. Extinguishing media to avoid:

None under normal conditions.

5.3. Further information:

Keep containers cool by spraying with water.

6. ACCIDENTAL RELEASE MEASURES

- Wear adequate personal protective equipment, see section 8 (exposure control / personal protection).

- Spills should be contained by and carried with suitable absorbent material and removed from disposal.



MATERIAL SAFETY DATA SHEET

Catalogue N° : 01802D11 Printing date : 19/05/2007

Page: 2/4

- Dispose of according to local and national regulations.
- Prevent from entering into soil, waterways and groundwater.

7. HANDLING AND STORAGE

7.1. Handling

Avoid eye and skin contact. Wash hands and exposed skin before eating, drinking or smoking and after work. Use only in a well ventilated area.

Ingestion, exposure to skin and eyes and inhalation of any generated vapours should be avoided. Wear suitable protective clothing, gloves and eye/face protection. Do not consume or store food in the working area.

7.2. Storage

Keep containers tightly closed. Store in a well ventilated, cool, dry area.

Storage class : 12 (VCI storage system).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Exposure limit values (INGREDIENTS INFORMATION)

5-CHLORO-2-METHYL-2H-ISOTHIAZOLIN-3-ONE

MAK (Deutschland, TRGS 900) = 0,2 mg/m³(mixture CIT/MIT 3:1)

2-METHYL-2H-ISOTHIAZOLIN-3-ONE

MAK (Deutschland, TRGS 900) = 0,2 mg/m³(mixture CIT/MIT 3:1)

8.2. Exposure controls

Respiratory protection: no respiratory protection needed under normal conditions. Good ventilation should be sufficient.

Hand protection: use chemical resistant gloves. In case of prolonged immersion or frequently repeated contact use gloves made of the materials:

nitrile rubber (thickness \geq 0,38 mm, breakthrough time $>$ 480 min)

neoprene (thickness \geq 0,65 mm, breakthrough time $>$ 240 min).

butyl rubber (thickness \geq 0,36 mm, breakthrough time $>$ 480 min)

For intermittent splash protection corresponding gloves with breakthrough time $>$ 60 min can be used.

Avoid gloves made of : natural rubber.

Eye protection: use chemical safety goggles. Eye wash fountain should be located in immediate work area.

Other: appropriate protective clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid

Colour : Pale Yellow

Odour : Mild

Boiling point/range : \sim 100°C

Density (20°C) Kg/L : 1,105

pH value (25°C) : 4,40

Vapour pressure (20°C) : \sim 23 mbar

Solubility in water (25°C) : Completely Soluble

10. STABILITY AND REACTIVITY

10.1. Conditions to avoid

The product is stable under normal storage conditions.

10.2. Materials to avoid

None.

10.3. Hazardous decomposition products

None.

11. TOXICOLOGICAL INFORMATION

Acute toxicity (INGREDIENTS INFORMATION)

5-CHLORO-2-METHYL-2H-ISOTHIAZOLIN-3-ONE

LD50 (Oral Rat) = NAv

2-METHYL-2H-ISOTHIAZOLIN-3-ONE



According to 2001/58/EC

MATERIAL SAFETY DATA SHEET

Catalogue N° : 01802D11 Printing date : 19/05/2007

Page: 3/4

LD50 (Oral Rat) = 285 mg/kg
LD50 (Dermal rabbit) = > 2000 mg/kg
Skin contact
May cause sensitization by skin contact.

12. ECOLOGICAL INFORMATION

12.1. Ecotoxicity
5-CHLORO-2-METHYL-2H-ISOTHIAZOLIN-3-ONE
LC50 (Fish, 96 hours) = NAv
2-METHYL-2H-ISOTHIAZOLIN-3-ONE
LC50 (Fish, 96 hours) = NAv
LC50 (Daphnia, 48h) = 1,6 mg/l
12.2. Mobility
not known
12.3. Persistence and Degradability
not known
12.4. Bioaccumulative potential
not known
12.5. Other adverse effects

13. DISPOSAL CONSIDERATIONS

Dispose of according to local and national regulations. Containers must be disposed of in accordance with local regulations.

EWC : 06 03 14 Solid salts and solutions other than those mentioned in
06 03 11 and 06 03 13.

14. TRANSPORT INFORMATION

ADR/RID

Class:NA labels :- Pack. Group:-
Code :NA TREMcard :NA Spec. Prov.:-
Pack. Inst.:- Lim. Quant.:-

IMDG

Class:NA Subs. Risk :NA Pack. Group:NA
EmS fire:NA EmS Storage:NA IBC. Inst. :-
Pack. Inst.:- Lim. Quant.:- Mar.Poll:N

ICAO/IATA

Class:NA Subs. Risk :NA Pack. Group:NA
Passenger and Cargo Aircraft. Pkg Inst:NA Max Net Qty/Pkg:NA
Cargo Aircraft Only . Pkg Inst:NA Max Net Qty/Pkg:NA
Ltd Qty . Pkg Inst:- Max Net Qty/Pkg:-

15. REGULATORY INFORMATION

EU Classification and User Label Information:

Contains : 5-CHLORO-2-METHYL-2H-ISOTHIAZOLIN-3-ONE
2-METHYL-2H-ISOTHIAZOLIN-3-ONE

Symbol(s) : Xi

R(isk) phrase(s) :

R43 : May cause sensitization by skin contact.

S(afety) phrase(s) :

S24 : Avoid contact with skin.

S37 : Wear suitable gloves.

Other information :

WGK: 1

BAG T n° (CH): 611 500

Toxicity class (CH): Frei



According to 2001/58/EC

MATERIAL SAFETY DATA SHEET

Catalogue N° : 01802D11 Printing date : 19/05/2007

Page: 4/4

16. OTHER INFORMATION

The use of the preparation is restricted to professional users|

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications have not the meaning of guarantees on properties.

Date of issue: 01.10.2005

Supersedes edition of: 01.04.2004

RISK PHRASES MENTIONED IN PARAGRAPH 2:

R23/24/25: Toxic by inhalation, in contact with skin and if swallowed.

R23/25: Toxic by inhalation and if swallowed.

R34: Causes burns.

R43: May cause sensitization by skin contact.

R50: Very toxic to aquatic organisms.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.